

Act. Stockb. 5. art. 1. 2. Vogel mineralf. 343. Sevum minerale.

Habitat in Fennonia in maritimis pago Narko vicinis, et ad lacum Loja, in amygdalorum oleo calido, et si quidem alcali acuatur ipso vini spiritu solvendum, ambra levius celeriter cum multo fumo ardens, sebum referens; at hujus regni.

72. MELLITES. Mollis, fragilis, pellucidus, vitreo nitore nitens, texturæ conchaceæ, submelleus.

Pyramis tetraëdra duplex: facibus laevissimis.

Werner. I. MELLITES. *Kayß. Lesk. Mineralkab. I. p. 334.*

Habitat in Saxonia prope Artern in stratis ligni subterranei bituminosi, et in Helvetia, in asphalto nidulans, coloris inter melleum et hyacinthinum intermedi, in fragmenta indeterminata dissiliens, crystallis minutis aggregatis vel sparsis, distinctas interdum easque duplices pyramides tetraëdras referentibus; an distincti generis?

73. SUCCINUM. Leviusculum, flavum, intus nitens, texturæ conchaceæ, tenax, frictione aut igne excofactum suaveolens, et corpora leviora reliquis phlogistis potentius trahens.

Ignе agitatum sal acidum siccum sui generis præbens.

electri-
cum,

I. SUCCINUM.

Syst. nat. I. p. 167. n. 2. Electrum diaphanum solidum. Cartheuf. miner. 48. Bitumen solidum durum nitidum suaveolens.

Waller. miner. 200. 201. Succinum pellucidum et opacum.
Waller.

Copal potius ad succos vegetabiles pertinet.